

25X1

1.
  2. Prior to March 1953, the barracks installation in Freystadt (O 52/B 47) was occupied by Polish troops wearing khaki uniforms and red service color. The installation was located at the western perimeter of the town, north of the road to Oberherzogswaldau (O 52/B 37), in line with a windmill on the other side of the road. Prior to the spring of 1953, the unit was equipped with trucks and horse-drawn vehicles. No heavy weapons were observed. A platoon, which left the installation for training, was armed with carbines, submachine guns, light machine guns mounting round magazines and heavy Maxim machine guns, as well as AT weapons with 80-mm. barrels, about 1.5 meters long, which were carried on the shoulder. The former German Officers' club south of the road to Oberherzogswaldau in the town area was used by Polish officers in the spring of 1953. Polish troops were last observed at the Freystadt railroad station on 15 April 1953.<sup>2</sup>
  3. In March 1953, a Soviet supply depot, consisting of three two-story storage buildings, 25 to 30 meters long and 12 meters wide, was located just northwest of the Liegnitz (O 52/B 82) railroad station, extending to the north as far as Pfaffendorfer Strasse. The installation was guarded by Soviet troops and headed by a major. Signal equipment including electric devices were stored in one of the buildings and leather articles, including shoes, briefcases, and map pouches, in another building.
  4. Prior to October 1953, a Soviet signal detail of 20 to 30 troops including officers was quartered in apartment houses in Neumarkt (P 52/C 12) and engaged in the construction and maintenance of telephone lines.<sup>3</sup>
- 25X1

1.

25X1


25X1

25X1


CONFIDENTIAL

- 2 -

 25X1

2.  Comment. The 38th Mech Regt of the 11th Mech Div has so far been carried in Freystadt. Information in this report, however, indicates an infantry unit, rather than a mechanized unit. The unit may belong to an infantry regiment of the 4th Inf Div.

25X1

3.  Comment. Information on the signal detail confirms previous observations.

25X1

 25X1

CONFIDENTIAL